

DECT handset G355

Professional voice communications for mobile office users

At a Glance

- Appealing design, easy and intuitive use
- Easier to access phone book contents
- Flexibility, comfort and mobility for the user
- Increased accessibility
- More control over calls
- Reduced maintenance and service costs
- A simple, secure, feature rich solution

The DECT handset G355 is a wireless office handset for use in professional environments, providing the mobile user the optimum in mobility, accessibility, flexibility and comfort.

The DECT handset G355 brings mobile communication to a higher level:

- An appealing design and intuitive user interface
- Colour display and icon-based menu for ease of use
- Scratch-protected user design
- Provides valuable information to the user, including central directory access, personal phone book and calendar entries
- Enhanced comfort and flexibility through hands free operation and use with headset
- Gives users full control over their accessibility
- Provides many call control features seamlessly integrated with the PBX
- DECT compliance for high quality speech and security
- Is easy to service and maintain



Empowered by Innovation

The DECT handset G355 satisfies advanced requirements for mobile voice communication in a business environment, providing mobility, flexibility and accessibility, without compromising on comfort and ease of use.

G355 DECT handset features

Features Handset G35			
Call handling features	Automatic Call answer	Call reject option	
	Caller log	CLI (name and number support): when available in directory presented by name	
	Crystal clear speech and seamless handover	Last number redial	
	On-hook number preparation	Recall/hold (enquiry)	
	Silent charging	Standby time up to 120 hours	
	Talk time up to 12 hours		
Design	Light, slim line ergonomic design: optimized for comfort and ease of use, scratch protected interface, use, colour and styling for professional office environments		
Directory	Corporate telephone directory	Personal phone book	
	Phone book multiple numbers per contact		
Display	Graphic Display: Colour Graphic TFT display, 128 x 128 pixels (64k)	Illuminated display: on incoming calls and message	
	Date/time indication: based upon PBX clock	Dim lit display at all times or completely off with power saving display	
Headset	Headset support		
Keys	• Function and keypad keys: 24 keys with 12 keypad keys (09, *, #), with text mode support	On and off-hook key: 2 keys	
	Recall or enquiry key	Increase and decrease volume	
	Menu Navigation keys: programmable short cut keys, up, down, left, right	OK/confirm key	
	Power on/off key	Programmable Soft keys (2 keys, menu dependent function	
	SOS alarm key	Keypad lock	
Localization	Multiple supported languages: 13	Triple frequency band	
Menu	Easy menu programming	1	
Messaging	Message waiting (voicemail)		
Mobility/other	Multiple subscriptions DECT systems: 8 ²⁾		
Sound/Audio	Adjustable ringer volume	Adjustable earpiece/loudspeaker volume	
	Loudspeaker mode/hands free	Microphone mute	
Security	Automatic encryption for secure calls	-	
Service/maintenance	Software upgrading via air interface	Backup of local data storage via additional 64k memory card	
	Easy subscription to another handset: by transferring memory card to another handset		
User data	• Internal memory for storage of configuration data, personal phone book, caller log, caller filter and calendar entries		
	• Optional memory card for taking over configuration and subscription data, personal phone book and caller filter from the internal memory. The memory card adds subscription preparation, blocking of configuration settings and easy handset replacement functions		
User interface	Visible indicators: Icon driven menu	Ringer tones/melodies: 10 distinctive melodies for internal and external calls	
	Audible indicators are user selectable	Status line indicators in the display	

2) Only applicable with the memory card installed; 4 subscriptions are stored in the internal memory and 4 on the memory card. This means that up to 4 subscriptions can be moved over to another handset.

G355 DECT handset technical data

Memory

Storage capacity for:

- 200 personal phone book entries
- 80 message entries
- 50 caller list entries
- 10 caller filter entries
- 100 calendar entries

The capacity of the internal memory is based on shared memory, where the amount of entries on one item may affect the capacity on other items. The memory card however is based on absolute capacity for each item.

Physical characteristics

Dimensions	
Handset:	126x45x20 mm
Charger:	55x60x72 mm
Charger rack:	520x86x40 mm
Weight	
Handset:	89 g
Charger:	34 g
Charger rack:	1184 g
AC Adapter:	70 g
Protection	
Handset:	IP20
Range	
Indoor:	50 m max ³⁾
Outdoor:	300 m max ³⁾
Power Supply	
Handset:	3.7V, 650mAh Lithium-ion battery
Charger:	Powered via AC/DC adapter
Input:	100-240VAC/50/60Hz/150mA
Output:	5VDC/350mA
Mains plug: 4)	Euro, UK, North America, or Australia
Charger rack:	Powered via AC/DC adapter
Input:	100-240VAC/50/60Hz/500 mA
Output:	5 VDC/2500 mA
Mains plug: 4)	Euro, UK, North America or Australia
Colour and Finishing	

- Handset:
- Body and battery cover: silver, non-gloss
- Back: black, non-gloss
- Keys: grey, non-gloss
- Face: black, gloss

Desktop charger:

Black and silver, non-gloss

Charger rack:

- Brushed metal housing with black plastic, high glossy top
- 3) The radio coverage DECT handsets depend on the environment and presence of obstacles.
- 4) The mains plug contains a changeable part for the different power plugs.

Audible indicators

The following selectable audible indicators are available:

- Key click
- Coverage warning
- Charger warning
- Battery (low) alarm
- Confirmation tone

Status line indicators

User selectable status line indicators in the display are:

- Alarm clock
- Battery condition
- Field strength
- Key lock active
- Loudspeaker active
- Message waiting
- Microphone mute
- Missed Call
- Ringer off

Supported Menu languages

The handset supports 13 selectable languages: Danish, Dutch, English, French, German, Greek, Italian, Polish, Portuguese, Russian, Spanish, Swedish, Turkish

G355 handset package content

G355 Package contents		
G355 handset	Lithium-ion battery	
 Swivel belt knob attachment 	Swivel belt clip	
Easy clip		

G355 handset accessories

G355 handset accessories		
Swivel belt clip	Easy clip	
 Horizontal pouch (fixed belt-clip, handset needs to be removed when used) 	 Vertical pouch (swivel belt-clip, handset can be used while in pouch) 	
Memory card	Desktop charger and adapter	
Charger rack (8 handsets) with separate AC mains adapter		



The charger rack is suitable for table-top usage or wall mounting.

Environmental conditions

Temperature Range	
Operating:	0°C to +40°C
Transport:	-25°C to +70°C
Storage:	–5°C to +45°C
Relative Humidity	
Operating:	10 to 95%
Transport:	10 to 100%
Storage:	10 to 95%

Compliance

Compliance handset G355		
The G355 handset carries a CE mark (European directive 93/68/EEC)		
EMC:	EN301 489-1, EN301 489-6	
EMF:	EN50360	
DECT:	EN301 406, EN300 175 EN 300	
	444	
Safety:	EN 60950-1	

Directives and regulations

Directives and regulations Europe	
R&TTE directive 1999/5/EC	
EMC directive 2004/108/EC	
LVD directive 2006/95/EC	
ROHS directive 2002/95/EC and WEEE directive 2002/96/EC	
ERP directive 2009/125/EC	
Directives and regulations North America	
FCC part 15C, 15D	
RSS 210, RSS 213	
HAC/VC	

Transmission

Transmission and frequency		
Average Radio RF power:	10mW	
Frequency band EMEA:	1880 - 1900 MHz	
Frequency band China:	1900 - 1920 MHz	
Frequency band: ⁵⁾		
Latin America	1910 - 1930 MHz	
North America	1920 - 1930 MHz	

5) The G355 handset has a triple frequency band and can be used in the EMEA, American and Chinese DECT frequency band. The transmitted Radio RF power is according to local regulations.

UNIVERGE®360 is NEC's approach to unifying business communications. It places people at the center of communications and delivers on an organization's needs by uniting infrastructure, communications and business.



About NEC Corporation: NEC Corporation (NASDAQ: NIPNY) is one of the world's leading providers of Internet, broadband network and enterprise business solutions dedicated to meeting the specialized needs of its diverse and global base of customers. NEC delivers tailored solutions in the key fields of computer, networking and electron devices, by integrating its technical strengths in IT and Networks, and by providing advanced semiconductor solutions through NEC Electronics Corporation. The NEC Group employs more than 150,000 people worldwide. For additional information, please visit the NEC home page at: http://www.nec.com

For further information please contact your local NEC representative or:

EMEA (Europe, Middle East, Africa) NEC Unified Solutions www.nec-unified.com North America (USA) NEC Corporation of America www.necam.com Corporate Headquarters (Japan) NEC Corporation www.nec.com

Empowered by Innovation

